

PGIMER Nursing officer Sample paper

Q1. Use of technical jargons or language jargons during the communication process is an example of which category of barrier in communication?

- (a) Physiological
- (b) Social
- (c) Cultural
- (d) Semantic

Ans.(d)

Q2. Which of these is the primary purpose of a patient's record?

- (a) Self tracking patient's progress of illness
- (b) Giving confidential information to others
- (c) Obtaining financial gains for the hospital
- (d) Planning and supporting patient care

Ans.(d)

Q3. Dextrose 5% in water (D5W) is classified as which type of intravenous (IV) fluid?

- (a) Isotonic solution
- (b) Hypertonic solution
- (c) Hypotonic solution
- (d) Colloid solution

Ans.(a)

Q4. The primary aims of nursing practice include all of the following, EXCEPT:

- (a) Promoting health and wellness
- (b) Caring for the terminally ill
- (c) Functioning independently to diagnose and prescribe without collaboration
- (d) Restoring health

Ans.(c)

Q5. Which of the following is the route by which drug is administered into the respiratory tract by a nebulizer or positive pressure breathing apparatus?

- (a) Buccal
- (b) Parenteral
- (c) Oral
- (d) Inhalation

Ans.(d)

Q6. All of the following are common types of medication delivered via inhalation, EXCEPT?

- (a) Bronchodilators
- (b) Insulin and glucagon
- (c) Corticosteroids
- (d) Inhaled anaesthetics

Ans.(b)



ALL EXAMS, **ONE** SUBSCRIPTION



Test. Analyze. Improve. Repeat.



*Don't just
prepare.
Perform.*

Test Prime – built only
for mock tests.



1,50,000+
Mock Tests



25,000+
Previous Year
Papers



800+
Exam
Covered



500%
Refund on
Selection



5 lakh+
Free Quizzes



Daily
Free PDFs



Top Alerts
Stay Updated

WHY TEST PRIME?

- ✓ Multilingual
- ✓ Detailed Solution
- ✓ Strong and Weak Areas
- ✓ All India Rankings



Safe & Reliable



Trusted by
Lakhs of Aspirants




Your Success,
Our Mission



**DOWNLOAD
TEST PRIME**

Your Success Partner!



Test

Prime



SUCCESS GALLERY!

MEET THE ACHIEVERS



Shreya, SBI PO



Sahil, SBI PO



Srijita, SBI PO



Vikram, IBPS PO



Neeti, IBPS PO



Arya, IBPS PO



Hasan, SSC CGL



Palak, SSC CGL



Priti, UP TGT



Aniket, Bihar Stet



Shaurya, NTPC



Sarita, CTET



Gourav, NTPC



Sanni, NTPC



Abhishek, CTET



Sapna, IBPS Clerk

THEY DID IT. YOU CAN TOO

READ THEIR STORIES!



Q7. Dextrose 5% in water (D5W) is classified as which type of intravenous (IV) fluid?

- (a) Isotonic solution
- (b) Hypertonic solution
- (c) Hypotonic solution
- (d) Colloid solution

Ans.(a)

Q8. A patient should receive an intramuscular injection. At what angle should the nurse insert the needle?

- (a) 90 degrees
- (b) 45 degrees
- (c) 30 degrees
- (d) 15 degrees

Ans.(a)

Q9. Which of the following is the route by which drug is administered into the respiratory tract by a nebulizer or positive pressure breathing apparatus?

- (a) Buccal
- (b) Parenteral
- (c) Oral
- (d) Inhalation

Ans.(d)

Q10. Which cation level affects the overall concentration of the extracellular fluid?

- (a) Magnesium
- (b) Calcium
- (c) Potassium
- (d) Sodium

Ans.(d)

Q11. A nursing procedure carried out to help in the evacuation of the bowel by administration of a large amount of fluid through the rectum is called:

- (a) Enema
- (b) Ostomy
- (c) Colonoscopy
- (d) NG aspiration

Ans.(a)

Q12. Use of technical jargons or language jargons during the communication process is an example of which category of barrier in communication?

- (a) Physiological
- (b) Social
- (c) Cultural
- (d) Semantic

Ans.(d)

Q13. What does 'I' stand for in the SOAPIE progress notes format used for documentation?

- (a) Implementation
- (b) Institution
- (c) Inspection
- (d) Intervention

Ans.(a)

Q14. The primary aims of nursing practice include all of the following, EXCEPT:

- (a) Promoting health and wellness
- (b) Caring for the terminally ill
- (c) Functioning independently to diagnose and prescribe without collaboration
- (d) Restoring health

Ans.(c)

Q15. How does illness influence personal hygiene?

- (a) It promotes frequent hygiene practices.
- (b) It increases the motivation to maintain hygiene.
- (c) It has no impact on hygiene practices.
- (d) It may impair the ability to perform self-care.

Ans.(d)

Q16. Continuous NG tube suctioning is most likely to cause:

- (a) Hyperkalemia
- (b) Hypokalemia
- (c) Hypernatremia
- (d) Hypercalcemia

Ans.(b)

Q17. A post-operative patient lying in the supine position develops difficulty in breathing. What is the most appropriate nursing intervention?

- (a) Maintain the patient in the supine position
- (b) Place the patient in Semi-Fowler's position and assess airway and breathing
- (c) Encourage the patient to drink water immediately
- (d) Place a pillow under the patient's knees

Ans.(b)

Q18. What is the appropriate position for postural drainage to clear secretions from the posterior basal segments of the lower lobe?

- (a) Supine with the bed flat
- (b) Prone with the head of the bed elevated
- (c) Prone with the head of the bed lowered (Trendelenburg position)
- (d) High-Fowler's position

Ans.(c)

Q19. In which of the following are tetanus spores usually found?

- (a) Soil and animal faeces
- (b) Plants and insects
- (c) Blood and body fluids
- (d) Air and water

Ans.(a)

Q20. Which of the following is the causative organism of scabies?

- (a) *Sarcoptes scabiei*
- (b) *Pediculus humanus capitis*
- (c) *Staphylococcus aureus*
- (d) *Candida albicans*

Ans.(a)

Q21. Which of the following instruments automates platelet counts?

- (a) Glucometer
- (b) Sphygmomanometer
- (c) Stethoscope
- (d) Haematology analyser

Ans.(d)

Q22. What is indicated by a T-score of -2.8 on a DEXA scan?

- (a) Osteopenia
- (b) Increased bone density
- (c) Osteoporosis
- (d) Normal bone density

Ans.(c)

Q23. What is the RICE protocol in treating a sprain and strain injury?

- (a) Reduce, Ice, Compress, Elevate
- (b) Reduce, Immobilise, Compress, Exercise
- (c) Rest, Immobilise, Compress, Elevate
- (d) Rest, Ice, Compress, Elevate

Ans.(d)

Q24. Which of the following is a common ocular manifestation of Tuberous Sclerosis Complex (TSC)?

- (a) Glaucoma and Schaffer's sign
- (b) Ectropion and entropion
- (c) Cataracts, strabismus and amblyopia
- (d) Retinal astrocytic hamartoma

Ans.(d)

Q25. What is the primary goal of using insulin and glucose in the management of hyperkalaemia?

- (a) To stabilise the cardiac membrane
- (b) To directly lower the serum potassium concentration
- (c) To increase potassium uptake by the cells
- (d) To facilitate potassium excretion by the kidneys

Ans.(c)

Q26. Which of the following is a rare condition caused by destruction or dysfunction of the anterior pituitary gland, leading to a deficiency of multiple pituitary hormones?

- (a) Simmonds' disease
- (b) Sheehan's syndrome
- (c) Cushing's disease
- (d) Frohlich's syndrome

Ans.(a)

Q27. Which electrolyte is most affected by overhydration?

- (a) Potassium
- (b) Magnesium
- (c) Calcium
- (d) Sodium

Ans.(d)

Q28. Which of these nursing interventions prevents drainage accumulation and promotes wound healing in the postoperative period?

- (a) Encourage deep breathing and controlled coughing exercises
- (b) Take measures to remove accumulated drainage secretions
- (c) Follow guidelines for proper wound dressing technique
- (d) Monitor for volume deficit and correct by fluid replacement as prescribed

Ans.(b)

Q29. All of the following are potential causes of bradycardia, EXCEPT:

- (a) Beta-blocker drugs
- (b) Athlete's heart
- (c) Hypothyroidism
- (d) Fever

Ans.(d)

Q30. Which of the following signs is unique to typhoid?

- (a) Petechial rash
- (b) Jaundice
- (c) Cyanosis
- (d) Rose spots on abdomen

Ans.(d)

Q31. Which of the following is the primary compensatory mechanism that the body uses in metabolic alkalosis?

- (a) Increased urine output
- (b) Increased respiratory rate
- (c) Decreased urine output
- (d) Decreased respiratory rate

Ans.(d)

Q32. Which of the following is NOT a core element of the antibiotic stewardship programme?

- (a) Liberal use of antibiotics to all patients
- (b) Tracking and reporting
- (c) Commitment, action and education
- (d) Foundational structures

Ans.(a)

Q33. Why is 5% dextrose contraindicated in patients with acute head injury?

- (a) It may cause hyponatremia and cerebral oedema.
- (b) It dilutes plasma electrolytes.
- (c) It triggers insulin resistance.
- (d) It increases blood glucose unpredictably.

Ans.(a)

Q34. Which of the following are the common CSF findings suggestive of bacterial meningitis?

- (a) Elevated glucose, normal protein, and predominantly lymphocytes
- (b) Normal glucose, elevated protein, and predominantly lymphocytes
- (c) Decreased glucose, elevated protein, and predominantly polymorphonuclear leukocytes
- (d) Elevated glucose, normal protein, and predominantly polymorphonuclear leukocytes

Ans.(c)

Q35. Ash-leaf spots are a hallmark cutaneous manifestation of which of the following diseases?

- (a) Sturge-Weber Syndrome
- (b) Neurofibromatosis Type 1
- (c) Von Hippel-Lindau Disease
- (d) Tuberous Sclerosis Complex

Ans.(d)

Q36. Which of the following conditions is primarily characterised by neurocutaneous markers, such as café-au-lait macules and Lisch nodules?

- (a) Tuberous Sclerosis Complex
- (b) Neurofibromatosis type 1
- (c) Sturge-Weber syndrome
- (d) Von Hippel-Lindau disease

Ans.(b)

Q37. Pott disease is also known as:

- (a) Tuberculous spondylitis
- (b) Brucellosis
- (c) Malaria
- (d) Typhoid

Ans.(a)

Q38. Which of the following is the causative factor of Keratoconjunctivitis sicca?

- (a) Inadequate tear production
- (b) Glaucoma
- (c) Bacterial infection
- (d) Use of contact lens

Ans.(a)

Q39. All of the following are the primary vitamin K-dependent clotting factors produced by the liver, EXCEPT:

- (a) Factor II
- (b) Factor XI
- (c) Factor VII
- (d) Factor X

Ans.(b)

Q40. What should you avoid while wearing a Holter monitor?

- (a) Sleeping
- (b) Engaging in light exercise
- (c) Submerging the device in water
- (d) Taking medication

Ans.(c)

Q41. Calcium gluconate is not given by which method?

- (a) Fast IV
- (b) Slow IV
- (c) IV infusion
- (d) Oral route

Ans.(a)

Q42. A patient with rheumatoid arthritis has a history of gastric ulcer. Which of the following drugs is most appropriate for this patient?

- (a) Celecoxib
- (b) Naloxone
- (c) Acetaminophen
- (d) Ibuprofen

Ans.(a)

Q43. Acetylsalicylic acid should be avoided in which condition?

- (a) Bacterial fever
- (b) Viral fever
- (c) Headache
- (d) None of the above

Ans.(b)

Q44. Atropine is given before abdominal surgery to:

- (a) Reduce gastric secretions
- (b) Increase peristalsis
- (c) Prevent infection
- (d) Increase urine output

Ans.(a)

Q45. Which medicines inhibit the reabsorption (reuptake) of serotonin into neurons and act selectively on serotonin only?

- (a) TCA antidepressants
- (b) SSRIs antidepressants
- (c) MAOIs antidepressants
- (d) Atypical antidepressants

Ans.(b)

Q46. A patient receiving heparin has an aPTT of 85 seconds. What is the most appropriate next action?

- (a) Hold the next dose of heparin
- (b) Increase the heparin dose
- (c) Continue the same heparin dose
- (d) Administer vitamin K

Ans.(a)

Q47. What is the use of Tranexamic acid injection?

- (a) To control or prevent infection caused by MRSA organisms
- (b) To control or prevent infection caused by VRSA organisms
- (c) To control or prevent life-threatening arrhythmias
- (d) To control or prevent excessive or heavy bleeding

Ans.(d)

Q48. Why should corticosteroids administered via inhaler include mouth rinsing after use?

- (a) Reduce bad taste
- (b) Minimise tooth staining
- (c) Prevent oral candidiasis
- (d) Enhance drug absorption

Ans.(c)

Q49. Which of the following is a common side effect of anti-anxiety medications, particularly benzodiazepines?

- (a) Enhanced memory
- (b) Elevated blood pressure
- (c) Increased energy levels
- (d) Drowsiness and sedation

Ans.(d)

Q50. Which type of resistance mechanism involves bacteria synthesizing an enzyme that chemically modifies or destroys the active structure of an antibiotic molecule?

- (a) Enzymatic inactivation
- (b) Decreased permeability
- (c) Efflux pumps
- (d) Target modification

Ans.(a)

Q51. Which part of the fetal skull is the largest?

- (a) Face
- (b) Cranium
- (c) Base of skull
- (d) Mandible

Ans.(b)

Q52. A woman has a blockage in the fallopian tube. Which reproductive process is most directly affected?

- (a) Ovulation
- (b) Fertilization
- (c) Implantation
- (d) Menstruation

Ans.(b)

Q53. Which is a benign condition where the glandular cells that normally line the cervical canal (endocervix) are present on the outer surface of the cervix (ectocervix)?

- (a) Cervical mole
- (b) Cervical cerclage
- (c) Cervical inversion
- (d) Cervical eversion

Ans.(d)

Q54. Which of the following is NOT a characteristic of a threatened abortion?

- (a) Uterine cramping
- (b) Vaginal bleeding
- (c) Viable pregnancy
- (d) Open cervix

Ans.(d)

Q55. What is cervical effacement?

- (a) The shortening of the uterus
- (b) The descent of the baby's head
- (c) The thinning of the cervix
- (d) The opening of the cervix

Ans.(c)

Q56. Which of the following statements best describes flexion in the mechanism of labour?

- (a) The foetal chin tucks closer to the chest, reducing the presenting diameter.
- (b) The foetal head rotates externally after delivery of the head.
- (c) The foetal head descends through the birth canal.
- (d) The foetal head rotates internally to align with the pelvic outlet.

Ans.(a)

Q57. Which sign indicates placental separation?

- (a) Maternal shivering
- (b) Fetal cry
- (c) Uterine fundus rising and cord lengthening
- (d) Decreased bleeding

Ans.(c)

Q58. Which of the following defines obstructed labour?

- (a) Failure of fetal descent despite contractions
- (b) Rapid cervical dilation
- (c) Uterine overstimulation
- (d) Premature placental separation

Ans.(a)

Q59. Which of the following best describes the process of flexion during labour?

- (a) The foetal head extends backwards.
- (b) The foetal head is pushed upwards against the pubic bone.
- (c) The foetal head bends forward, decreasing the presenting diameter.
- (d) The foetal head rotates to align with the pelvic inlet.

Ans.(c)

Q60. The first motion of a foetus in the uterus felt by the mother is known as:

- (a) Lightening
- (b) Quickening
- (c) Ballottement
- (d) Engagement

Ans.(b)

Q61. Which of the following is a characteristic feature of pathological jaundice?

- (a) Total serum bilirubin level is >15 mg/dL
- (b) Maximum intensity of jaundice is seen on the fourth or fifth day in term neonate
- (c) Jaundice first appears between 24–72 hours of age
- (d) Jaundice is clinically undetectable after 14 days of birth

Ans.(a)

Q62. Which of the following peak growth hormone (GH) levels after a stimulation (provocative) test is typically considered diagnostic of GH deficiency in children?

- (a) >15 $\mu\text{g/L}$
- (b) >20 $\mu\text{g/L}$
- (c) 12 $\mu\text{g/L}$
- (d) <10 $\mu\text{g/L}$

Ans.(d)

Q63. A toddler pushes a small piece of chalk into his nose which gets stuck inside. What should be the first aid measure in this situation?

- (a) Use fingers externally to fiddle with the piece of chalk
- (b) Put a tooth pick into the nose and try to dislodge the piece of chalk
- (c) Transport the child to a nearest healthcare facility for management
- (d) Flush nose with warm water to dissolve the piece of chalk

Ans.(c)

Q64. Hirschsprung disease is associated with a defect in which of the following developmental processes involving the enteric nervous system?

- (a) Autoimmune destruction of intestinal neurons
- (b) Overproduction of intestinal smooth muscle cells
- (c) Failure of neural crest cell migration and differentiation regulated by the RET gene
- (d) Telescoping of bowel loops into each other

Ans.(c)

Q65. A 13-year-old boy with asthma is hospitalised. Which of these nursing interventions is aimed at reducing the respiratory distress for the child?

- (a) Encourage intake of oral fluids, 300 ml per hour.
- (b) Discourage parent presence during treatment.
- (c) Provide sitting position supported with pillows.
- (d) Give rest periods of 30 min after an hour of activity.

Ans.(c)

Q66. Which of the following is a characteristic feature of pathological jaundice?

- (a) Total serum bilirubin level is >15 mg/dL
- (b) Maximum intensity of jaundice is seen on the fourth or fifth day in term neonate
- (c) Jaundice first appears between 24–72 hours of age
- (d) Jaundice is clinically undetectable after 14 days of birth

Ans.(a)

Q67. In the Shakir tape method for assessing nutritional status in children, what does the red colour zone indicate?

- (a) Normal nutritional status
- (b) Moderate acute malnutrition
- (c) Overweight status
- (d) Severe acute malnutrition

Ans.(d)

Q68. Which of the following peak growth hormone (GH) levels after a stimulation (provocative) test is typically considered diagnostic of GH deficiency in children?

- (a) >15 $\mu\text{g/L}$
- (b) >20 $\mu\text{g/L}$
- (c) 12 $\mu\text{g/L}$
- (d) <10 $\mu\text{g/L}$

Ans.(d)

Q69. Hirschsprung disease is associated with a defect in which of the following developmental processes involving the enteric nervous system?

- (a) Autoimmune destruction of intestinal neurons
- (b) Overproduction of intestinal smooth muscle cells
- (c) Failure of neural crest cell migration and differentiation regulated by the RET gene
- (d) Telescoping of bowel loops into each other

Ans.(c)

Q70. A toddler pushes a small piece of chalk into his nose which gets stuck inside. What should be the first aid measure in this situation?

- (a) Use fingers externally to fiddle with the piece of chalk
- (b) Put a tooth pick into the nose and try to dislodge the piece of chalk
- (c) Transport the child to a nearest healthcare facility for management
- (d) Flush nose with warm water to dissolve the piece of chalk

Ans.(c)

Q71. Eugene Bleuler's four 'A' symptoms of schizophrenia includes all of the following except:

- (a) Autism
- (b) Anhedonia
- (c) Affect disturbance
- (d) Association disturbance

Ans.(b)

Q72. Projective tests are used for assessing:

- (a) Intelligence
- (b) Personality
- (c) Organic brain lesion
- (d) Memory

Ans.(b)

Q73. A nurse is assessing a patient newly diagnosed with schizophrenia. Which of the following is not considered a negative symptom of schizophrenia?

- (a) Apathy
- (b) Alogia
- (c) Ambivalence
- (d) Anhedonia

Ans.(c)

Q74. A psychiatric nurse is assessing a 38-year-old patient who believes that his neighbors are plotting to harm him and are constantly monitoring his activities. The nurse identifies this as a specific type of delusion. Which term best describes this patient's belief?

- (a) Delusion of grandeur
- (b) Delusion of persecution
- (c) Delusion of reference
- (d) Delusion of control

Ans.(b)

Q75. A mental health nurse is evaluating a patient who reports persistent low mood, low energy, and feelings of hopelessness for the past few years, without episodes of major depression. The nurse suspects a chronic mood disorder. What is the most likely diagnosis for this patient?

- (a) Major depressive disorder
- (b) Dysthymia
- (c) Bipolar II disorder
- (d) Cyclothymic disorder

Ans.(b)

Q76. Which of the following is a common defense mechanism observed in Obsessive-Compulsive Disorder (OCD)?

- (a) Reaction formation
- (b) Regression
- (c) Magical thinking
- (d) Progression

Ans.(a)

Q77. A psychiatric nurse is assessing a patient who reports a low mood for three months followed by a recent period of excessive energy, talkativeness, and reckless behavior. The physician suspects Bipolar I disorder. What is the most likely current diagnosis for this patient?

- (a) Major depressive disorder
- (b) Bipolar I disorder with current manic episode
- (c) Generalized anxiety disorder
- (d) Bipolar II disorder with hypomania

Ans.(b)

Q78. A psychiatric nurse is developing a care plan for a 28-year-old patient diagnosed with borderline personality disorder who exhibits emotional instability and impulsive behavior. Which therapy is most commonly recommended as the first-line treatment for this condition?

- (a) Cognitive behavioral therapy (CBT)
- (b) Dialectical behavior therapy (DBT)
- (c) Psychoanalytic therapy
- (d) Family therapy

Ans.(b)

Q79. During a health education program on diabetes, a nurse notices that participants are hesitant to ask questions. What is the best approach to encourage active participation?

- (a) Continue with lecture uninterrupted
- (b) Ask open-ended questions to the group
- (c) Provide written material only
- (d) End the session early

Ans.(b)

Q80. A nurse is conducting health education for hypertensive patients. Which principle ensures adult learning effectiveness?

- (a) Passive listening
- (b) Linking content to daily life practices
- (c) Using complex medical terms
- (d) Avoiding feedback

Ans.(b)

Q81. A mother expresses fear about vaccination side effects during a health education session. What is the most appropriate nursing response?

- (a) Ignore her concern and continue
- (b) Provide evidence-based reassurance and clarify myths
- (c) Tell her vaccines never cause side effects
- (d) Ask her to consult a physician instead

Ans.(b)

Q82. During a health education program, the nurse notices participants are distracted. What is the best immediate action?

- (a) Stop the session abruptly
- (b) Increase the speed of delivery
- (c) Use interactive questioning or activities
- (d) Ignore and continue

Ans.(c)

Q83. A nurse is educating a group of factory workers about occupational hazards. Which principle of health education should guide the session?

- (a) Use of technical jargon to show expertise
- (b) Focus on learner's needs and relevance
- (c) Delivering maximum information in minimum time
- (d) Avoiding interaction to maintain discipline

Ans.(b)

Q84. A nurse is planning a health education program for adolescents on substance abuse. Which teaching method is most effective?

- (a) Role play and group discussion
- (b) Reading from textbooks
- (c) Distributing leaflets only
- (d) Showing lengthy PowerPoint slides

Ans.(a)

Q85. A community health nurse is conducting a session on hand hygiene in a rural school. Which teaching strategy will most effectively ensure retention among children?

- (a) Lecture with statistics
- (b) Demonstration followed by return demonstration
- (c) Distribution of pamphlets
- (d) Showing posters only

Ans.(b)

Q86. A nurse is evaluating the impact of a health education program on breastfeeding. Which indicator reflects successful education?

- (a) Mothers can list benefits of breastfeeding
- (b) Mothers initiate breastfeeding within one hour of birth
- (c) Mothers attend the session regularly
- (d) Mothers receive pamphlets on breastfeeding

Ans.(b)

Q87. What does VED stand for in inventory control and analysis?

- (a) Value, Economy, Demand
- (b) Vital, Essential, Desirable
- (c) Volume, Essential, Demand
- (d) Vital, Economic, Development

Ans.(b)

Q88. The concept of Management by Objectives (MBO) was introduced by:

- (a) Henry Fayol
- (b) Elton Mayo
- (c) Frederick W. Taylor
- (d) Peter Drucker

Ans.(d)

Q89. Which of the following categories of indicators measures whether patients can easily obtain needed health services?

- (a) Outcome indicators
- (b) Efficiency indicators
- (c) Access indicators
- (d) Quality indicators

Ans.(c)

Q90. What is the full form of NAAC in the context of accrediting agencies?

- (a) National Allocation and Accreditation Council
- (b) National Assertion and Allocation Council
- (c) National Assessment and Accreditation Council
- (d) National Assessment and Assertion Council

Ans.(c)

Q91. A district hospital has 200 beds. In a given month, the average daily census is 150. What is the bed occupancy rate of this hospital in that month?

- (a) 75%
- (b) 25%
- (c) 100%
- (d) 50%

Ans.(a)

Q92. According to the Staff Inspection Unit (SIU) norms in India, what is the recommended nurse-to-patient ratio for general wards?

- (a) 1 nurse for every 2 patients
- (b) 1 nurse for every 6 patients
- (c) 1 nurse for every 4 patients
- (d) 1 nurse for every 10 patients

Ans.(b)

Q93. A nurse is caring for a patient with chest tube drainage. Bubbling in the water seal chamber indicates:

- (a) Normal functioning
- (b) Air leak in the system
- (c) Blockage in tubing
- (d) Need for immediate removal

Ans.(b)

Q94. In CPR, what is the recommended compression-to-ventilation ratio for a single rescuer in adults?

- (a) 15:2
- (b) 30:2
- (c) 10:1
- (d) 20:2

Ans.(b)

Q95. A nurse is assessing a patient with suspected meningitis. Which sign is most specific?

- (a) Kernig's sign
- (b) Babinski's sign
- (c) Romberg's sign
- (d) Murphy's sign

Ans.(a)

Q96. During hand hygiene, which step ensures maximum removal of transient microorganisms?

- (a) Rinsing with water only
- (b) Using alcohol-based rub for 20–30 seconds
- (c) Washing with soap for 10 seconds
- (d) Drying hands with a towel

Ans.(b)

Q97. A patient with hypovolemic shock is admitted. What is the first priority nursing intervention?

- (a) Administer oxygen
- (b) Establish IV access with large-bore cannula
- (c) Monitor urine output
- (d) Provide emotional support

Ans.(b)

**Test
Prime**

By Adda247

PREVIOUS YEAR PAPERS PDF



PRACTICE MORE, SCORE HIGHER!



**Free
25,000+
PDF's**


High-Quality | Exam-Wise | Updated Regularly



**ATTEMPT AS
MOCK**



Turn PDFs into real exam experience.
Analyze. Improve. Succeed.



Topic-wise &
Exam-wise PDFs



Download &
Study Offline



Attempt as Mock
& Track Score



Smart Analysis
& Performance

AVAILABLE IN



Banking



SSC



Railway



Teaching



UGC



Agriculture



Nursing



Bihar



UP



Punjab



WB



Odisha



TN



AP & Telangana



Haryana



DOWNLOAD TEST PRIME

Test

Prime



SUCCESS GALLERY!

★ MEET THE ACHIEVERS ★



Kunal, RRB JE



Shivam, UPSSSC AGTA



Priya, ANM



KHALILUR, LDA



Manoj, PWD



Atin, JENPAS



Shatarupa, OPSC



Arpita, JENPAS



Shital, SSC JE (Mech)



Nancy, UGC NET



Atul, SSC JE (ELCT)



Rahul, SSC JE (CIVIL)



Anand, SSC JE (ELCT)



Mohan, SSC JE (ELCT)



Saurabh, UGC NET



Ved, SSC JE (Mech)

★ THEY DID IT. YOU CAN TOO ★

READ THEIR STORIES!



Q98. A nurse is teaching about iron supplementation. Which statement is correct?

- (a) Take iron with milk for better absorption
- (b) Best absorbed on an empty stomach with vitamin C
- (c) Avoid taking with citrus juice
- (d) Take only at bedtime

Ans.(b)

Q99. A nurse is caring for a patient with urinary retention. Which intervention is most appropriate?

- (a) Encourage fluid restriction
- (b) Perform bladder training
- (c) Insert indwelling catheter
- (d) Encourage frequent voiding attempts

Ans.(d)

Q100. Which electrolyte imbalance is most commonly associated with prolonged vomiting?

- (a) Hyperkalemia
- (b) Hypokalemia
- (c) Hypernatremia
- (d) Hyponatremia

Ans.(b)

